




Hanson Building Products

Atherstone Road
Measham
Swadlincote
DE12 7EL
Phone 01530 270333

www.hanson.com/uk


Thank you for downloading our CE certification for Formpave. You can find the appropriate certificate in two simple steps:

1. First, press your  +  buttons to bring up the search box.

2. Next type in the Product name or DoP number into the search box  and press enter.

Note, this file contains many pages, if you choose to print the certificates, remember to only print the page that you require and not the entire catalogue. For further assistance please contact our Technical Centre on 0330 123 1018.

Yours sincerely,



Carl Cuthbert
Quality Manager
Hanson Building Products



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquaflow 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0001

Declaration of Performance

DOP/HANUK/CP/0001

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquaflow 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquaflow ML 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0002

Declaration of Performance

DOP/HANUK/CP/0002

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquaflow ML 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquaflow MLE 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0003

Declaration of Performance

DOP/HANUK/CP/0003

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquaflow MLE 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquaflow MLTB 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0004

Declaration of Performance

DOP/HANUK/CP/0004

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquaflow MLTB 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquapave 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0005

Declaration of Performance

DOP/HANUK/CP/0005

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquapave 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquasett 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0006

Declaration of Performance

DOP/HANUK/CP/0006

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquasett 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquasett 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0007

Declaration of Performance

DOP/HANUK/CP/0007

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquasett 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquasett Combined 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0008

Declaration of Performance

DOP/HANUK/CP/0008

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquasett Combined 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Aquasett Combined 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0009

Declaration of Performance

DOP/HANUK/CP/0009

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Aquasett Combined 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0011

Declaration of Performance

DOP/HANUK/CP/0011

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0012

Declaration of Performance

DOP/HANUK/CP/0012

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Boulevard 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0013

Declaration of Performance

DOP/HANUK/CP/0013

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Boulevard 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Boulevard 100mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0094

Declaration of Performance

DOP/HANUK/CP/0094

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Boulevard 100mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion class 4
	Resistance to Weathering class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Cobbles 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0014

Declaration of Performance

DOP/HANUK/CP/0014

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Cobbles 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Cobbles 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0015

Declaration of Performance

DOP/HANUK/CP/0015

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Cobbles 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Combined 50mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0016

Declaration of Performance

DOP/HANUK/CP/0016

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Combined 50mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 1
	Resistance to Weathering Class 2
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Combined 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0017

Declaration of Performance

DOP/HANUK/CP/0017

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Combined 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Combined 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0018

Declaration of Performance

DOP/HANUK/CP/0018

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Combined 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Setts 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0019

Declaration of Performance

DOP/HANUK/CP/0019

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Setts 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Chartres Setts 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0020

Declaration of Performance

DOP/HANUK/CP/0020

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Chartres Setts 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Aquaflow 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0021

Declaration of Performance

DOP/HANUK/CP/0021

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Aquaflow 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Aquasett 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0022

Declaration of Performance

DOP/HANUK/CP/0022

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Aquasett 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Aquasett 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0023

Declaration of Performance

DOP/HANUK/CP/0023

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Aquasett 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Aquasett Combined 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0024

Declaration of Performance

DOP/HANUK/CP/0024

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Aquasett Combined 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Aquasett Combined 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0025

Declaration of Performance

DOP/HANUK/CP/0025

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Aquasett Combined 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Cobbles 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0027

Declaration of Performance

DOP/HANUK/CP/0027

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Cobbles 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Cobbles 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0028

Declaration of Performance

DOP/HANUK/CP/0028

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Cobbles 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Combined 50mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0029

Declaration of Performance

DOP/HANUK/CP/0029

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Combined 50mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 1
	Resistance to Weathering Class 2
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Combined 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0030

Declaration of Performance

DOP/HANUK/CP/0030

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Combined 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Combined 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0031

Declaration of Performance

DOP/HANUK/CP/0031

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Combined 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Paving 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0032

Declaration of Performance

DOP/HANUK/CP/0032

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Paving 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Paving 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0033

Declaration of Performance

DOP/HANUK/CP/0033

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Paving 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Rectangular Block 50mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X
X = not relevant	

See Also Declaration of Performance DOP/HANUK/CP/0034

Declaration of Performance

DOP/HANUK/CP/0034

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Rectangular Block 50mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 1
	Resistance to Weathering Class 2
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Rectangular Block 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0035

Declaration of Performance

DOP/HANUK/CP/0035

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Rectangular Block 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Rectangular Block 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0036

Declaration of Performance

DOP/HANUK/CP/0036

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Rectangular Block 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Setts 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0037

Declaration of Performance

DOP/HANUK/CP/0037

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Setts 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Setts 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0038

Declaration of Performance

DOP/HANUK/CP/0038

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Setts 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Long Setts 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0086

Declaration of Performance

DOP/HANUK/CP/0086

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Long Setts 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Starter Circle 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0042

Declaration of Performance

DOP/HANUK/CP/0042

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Starter Circle 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Eco Granite Starter Circle 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0043

Declaration of Performance

DOP/HANUK/CP/0043

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Eco Granite Starter Circle 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Fine Line 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0044

Declaration of Performance

DOP/HANUK/CP/0044

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Fine Line 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Fine Line 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0045

Declaration of Performance

DOP/HANUK/CP/0045

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Fine Line 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Homeplus 50mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0046

Declaration of Performance

DOP/HANUK/CP/0046

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Homeplus 50mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 1
	Resistance to Weathering Class 2
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Royal Forest 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0047

Declaration of Performance

DOP/HANUK/CP/0047

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Royal Forest 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Royal Forest 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0048

Declaration of Performance

DOP/HANUK/CP/0048

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Royal Forest 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Starter Circle 60mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0052

Declaration of Performance

DOP/HANUK/CP/0052

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Starter Circle 60mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 3
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Starter Circle 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0053

Declaration of Performance

DOP/HANUK/CP/0053

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Starter Circle 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1338:2003

Category II Concrete Paving Blocks

Long Setts 80mm

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	Pass
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0087

Declaration of Performance

DOP/HANUK/CP/0087

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

Long Setts 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1338:2003**


Category II Concrete Paving Blocks

Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4
EU Regulation No 305/2011

Intended Use	External flooring
Emission of asbestos	X
Breaking strength	3.6 MPa
Slip/skid resistance	Low
Thermal conductivity	X
External fire performance	X
Durability	Abrasion Class 4
	Resistance to Weathering Class 3
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CROSSOVER KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0054

Declaration of Performance

DOP/HANUK/CP/0054

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CROSSOVER KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CROSSOVER KERB ECOGRANITE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0055

Declaration of Performance

DOP/HANUK/CP/0055

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CROSSOVER KERB ECOGRANITE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CROSSOVER INTERNAL

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0056

Declaration of Performance

DOP/HANUK/CP/0056

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CROSSOVER INTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CROSSOVER EXTERNAL

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0057

Declaration of Performance

DOP/HANUK/CP/0057

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CROSSOVER EXTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0058

Declaration of Performance

DOP/HANUK/CP/0058

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB ECOGRANITE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0059

Declaration of Performance

DOP/HANUK/CP/0059

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB ECOGRANITE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB LOW RISE INTERNAL

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0060

Declaration of Performance

DOP/HANUK/CP/0060

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB LOW RISE INTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB HIGH RISE INTERNAL

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0061

Declaration of Performance

DOP/HANUK/CP/0061

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB HIGH RISE INTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

LOW RISE TO CROSSOVER

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0062

Declaration of Performance

DOP/HANUK/CP/0062

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

LOW RISE TO CROSSOVER

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

LOW RISE TO ROAD KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0063

Declaration of Performance

DOP/HANUK/CP/0063

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

LOW RISE TO ROAD KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

LOW RISE TO HIGH RISE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0064

Declaration of Performance

DOP/HANUK/CP/0064

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

LOW RISE TO HIGH RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

DROP KERB LH & RH LOW RISE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0065

Declaration of Performance

DOP/HANUK/CP/0065

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

DROP KERB LH & RH LOW RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

HIGH RISE TO ROAD KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0066

Declaration of Performance

DOP/HANUK/CP/0066

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

HIGH RISE TO ROAD KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

RADIUS STD KERB 2 CUTS

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0067

Declaration of Performance

DOP/HANUK/CP/0067

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

RADIUS STD KERB 2 CUTS

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

BULLNOSE KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0068

Declaration of Performance

DOP/HANUK/CP/0068

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

BULLNOSE KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

INTERNAL BULLNOSE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0069

Declaration of Performance

DOP/HANUK/CP/0069

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

INTERNAL BULLNOSE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

EXTERNAL BULLNOSE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0070

Declaration of Performance

DOP/HANUK/CP/0070

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

EXTERNAL BULLNOSE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

BULLNOSE TO CROSSOVER

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0071

Declaration of Performance

DOP/HANUK/CP/0071

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

BULLNOSE TO CROSSOVER

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

BULLNOSE KERB RADIUS 2 CUTS

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0072

Declaration of Performance

DOP/HANUK/CP/0072

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

BULLNOSE KERB RADIUS 2 CUTS

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

BULLNOSE TO ROAD KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0073

Declaration of Performance

DOP/HANUK/CP/0073

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

BULLNOSE TO ROAD KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB LOW RISE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X
X = not relevant	

See Also Declaration of Performance DOP/HANUK/CP/0074

Declaration of Performance

DOP/HANUK/CP/0074

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB LOW RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB HIGH RISE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0075

Declaration of Performance

DOP/HANUK/CP/0075

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB HIGH RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

STD KERB LOW RISE EXT

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0076

Declaration of Performance

DOP/HANUK/CP/0076

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

STD KERB LOW RISE EXT

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

LOW RISE TO CROSSOVER

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0077

Declaration of Performance

DOP/HANUK/CP/0077

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

LOW RISE TO CROSSOVER

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

DROP KERB LH & RH LOW RISE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0078

Declaration of Performance

DOP/HANUK/CP/0078

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

DROP KERB LH & RH LOW RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CORNISH EDGING 250 mm

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0080

Declaration of Performance

DOP/HANUK/CP/0080

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CORNISH EDGING 250 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CHARTRES EDGING 250 mm

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0082

Declaration of Performance

DOP/HANUK/CP/0082

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CHARTRES EDGING 250 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

ECOGRANITE KERB

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0083

Declaration of Performance

DOP/HANUK/CP/0083

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

ECOGRANITE KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

ECOGRANITE CENTRE STONE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0084

Declaration of Performance

DOP/HANUK/CP/0084

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

ECOGRANITE CENTRE STONE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CORNISH CENTRE STONE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0090

Declaration of Performance

DOP/HANUK/CP/0090

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CORNISH CENTRE STONE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

ECOGRANITE EDGING 500 mm

Intended Use	External
Emission of asbestos	X
Breaking strength	3.5 MPa
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0085

Declaration of Performance

DOP/HANUK/CP/0085

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

ECOGRANITE EDGING 500 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	3.5 MPa
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

FOREST EDGING 500 mm

Intended Use	External
Emission of asbestos	X
Breaking strength	3.5 Mpa
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0079

Declaration of Performance

DOP/HANUK/CP/0079

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

FOREST EDGING 500 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	3.5 Mpa
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CORNISH EDGING 500 mm

Intended Use	External
Emission of asbestos	X
Breaking strength	3.5 Mpa
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0081

Declaration of Performance

DOP/HANUK/CP/0081

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CORNISH EDGING 500 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	3.5 Mpa
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

POST BLOCK 60 mm

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0091

Declaration of Performance

DOP/HANUK/CP/0091

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

POST BLOCK 60 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

POST BLOCK 80mm

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0092

Declaration of Performance

DOP/HANUK/CP/0092

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

POST BLOCK 80mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**

Precast Concrete Kerb


Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the
manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

13

BS EN 1340:2003

Precast Concrete Kerb

CIRCLE

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Durability	Satisfactory
Reaction to fire	X

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0093

Declaration of Performance

DOP/HANUK/CP/0093

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

Confirms that:

CIRCLE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4
EU Regulation No 89/106

Intended Use	External
Emission of asbestos	X
Breaking strength	NPD
Slip/skid resistance	Satisfactory
Thermal conductivity	X
External fire performance	X
Strength Durability	Satisfactory
Reaction to fire	X
X = not relevant	

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 29 July 2013