




Forterra Building Products Limited  
5 Grange Park Court  
Roman Way  
Northampton  
NN4 5EA

Tel +44 (0)1604 707 600  
[forterra.co.uk](http://forterra.co.uk)

Thank you for downloading our CE certification for Formpave. You can find the appropriate certificate in two simple steps:


1. First, press your  +  buttons to bring up the search box.

2. Next type in the Product name or DoP number into the search box  and press enter.

For Special Shapes and “Selected” classification products, the certification for the base product should be utilised.

Note, this file contains many pages, if you choose to print the certificates, remember to only print the page that you require and not the entire catalogue. For further assistance please contact our Technical Centre on 0330 123 1018.

Yours sincerely,



Carl Cuthbert  
Head of Quality  
Forterra Building Products Limited



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquaflow 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0001

**Declaration of Performance**

DOP/HANUK/CP/0001

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquaflow 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquaflow ML 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0002

**Declaration of Performance**

DOP/HANUK/CP/0002

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquaflow ML 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquaflow MLE 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0003

**Declaration of Performance**

DOP/HANUK/CP/0003

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquaflow MLE 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquaflow MLTB 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0004

**Declaration of Performance**

DOP/HANUK/CP/0004

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquaflow MLTB 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquapave 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0005

**Declaration of Performance**

DOP/HANUK/CP/0005

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquapave 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquasett 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0006

**Declaration of Performance**

DOP/HANUK/CP/0006

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquasett 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquasett 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0007

**Declaration of Performance**

DOP/HANUK/CP/0007

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquasett 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquasett Combined 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0008

**Declaration of Performance**

DOP/HANUK/CP/0008

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquasett Combined 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Aquasett Combined 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0009

**Declaration of Performance**

DOP/HANUK/CP/0009

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Aquasett Combined 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0011

**Declaration of Performance**

DOP/HANUK/CP/0011

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0012

**Declaration of Performance**

DOP/HANUK/CP/0012

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Boulevard 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0013

**Declaration of Performance**

DOP/HANUK/CP/0013

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Boulevard 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Boulevard 100mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0094

**Declaration of Performance**

DOP/HANUK/CP/0094

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Boulevard 100mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> class 4                 |
|                                  | <b>Resistance to Weathering</b> class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Cobbles 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0014

**Declaration of Performance**

DOP/HANUK/CP/0014

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Cobbles 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Cobbles 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0015

**Declaration of Performance**

DOP/HANUK/CP/0015

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Cobbles 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Combined 50mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0016

**Declaration of Performance**

DOP/HANUK/CP/0016

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Combined 50mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 1                 |
|                                  | <b>Resistance to Weathering</b> Class 2 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Combined 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0017

**Declaration of Performance**

DOP/HANUK/CP/0017

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Combined 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Combined 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0018

**Declaration of Performance**

DOP/HANUK/CP/0018

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Combined 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Setts 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0019

**Declaration of Performance**

DOP/HANUK/CP/0019

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Setts 60mm

**13**


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Chartres Setts 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0020

**Declaration of Performance**

DOP/HANUK/CP/0020

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Chartres Setts 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Aquaflow 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0021

**Declaration of Performance**

DOP/HANUK/CP/0021

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Aquaflow 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Aquasett 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0022

**Declaration of Performance**

DOP/HANUK/CP/0022

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Aquasett 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Aquasett 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0023

**Declaration of Performance**

DOP/HANUK/CP/0023

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Aquasett 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Aquasett Combined 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0024

**Declaration of Performance**

DOP/HANUK/CP/0024

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Aquasett Combined 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Aquasett Combined 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0025

**Declaration of Performance**

DOP/HANUK/CP/0025

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Aquasett Combined 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Cobbles 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0027

**Declaration of Performance**

DOP/HANUK/CP/0027

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Cobbles 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Cobbles 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0028

**Declaration of Performance**

DOP/HANUK/CP/0028

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Cobbles 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Combined 50mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0029

**Declaration of Performance**

DOP/HANUK/CP/0029

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Combined 50mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 1                 |
|                                  | <b>Resistance to Weathering</b> Class 2 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Combined 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0030

**Declaration of Performance**

DOP/HANUK/CP/0030

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Combined 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Combined 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0031

**Declaration of Performance**

DOP/HANUK/CP/0031

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Combined 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Paving 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0032

**Declaration of Performance**

DOP/HANUK/CP/0032

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Paving 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Paving 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0033

**Declaration of Performance**

DOP/HANUK/CP/0033

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Paving 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Rectangular Block 50mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0034

**Declaration of Performance**

DOP/HANUK/CP/0034

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Rectangular Block 50mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 1                 |
|                                  | <b>Resistance to Weathering</b> Class 2 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Rectangular Block 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0035

**Declaration of Performance**

DOP/HANUK/CP/0035

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Rectangular Block 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Rectangular Block 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0036

**Declaration of Performance**

DOP/HANUK/CP/0036

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Rectangular Block 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Setts 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0037

**Declaration of Performance**

DOP/HANUK/CP/0037

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Setts 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Setts 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0038

**Declaration of Performance**

DOP/HANUK/CP/0038

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Setts 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Long Setts 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0086

**Declaration of Performance**

DOP/HANUK/CP/0086

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Long Setts 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Starter Circle 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0042

**Declaration of Performance**

DOP/HANUK/CP/0042

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Starter Circle 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Eco Granite Starter Circle 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0043

**Declaration of Performance**

DOP/HANUK/CP/0043

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Eco Granite Starter Circle 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Fine Line 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0044

**Declaration of Performance**

DOP/HANUK/CP/0044

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Fine Line 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Fine Line 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0045

**Declaration of Performance**

DOP/HANUK/CP/0045

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Fine Line 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Homeplus 50mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0046

**Declaration of Performance**

DOP/HANUK/CP/0046

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Homeplus 50mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 1                 |
|                                  | <b>Resistance to Weathering</b> Class 2 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Royal Forest 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0047

**Declaration of Performance**

DOP/HANUK/CP/0047

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Royal Forest 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Royal Forest 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0048

**Declaration of Performance**

DOP/HANUK/CP/0048

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Royal Forest 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Starter Circle 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0052

**Declaration of Performance**

DOP/HANUK/CP/0052

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Starter Circle 60mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 3                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Starter Circle 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0053

**Declaration of Performance**

DOP/HANUK/CP/0053

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Starter Circle 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Long Setts 80mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0087

**Declaration of Performance**

DOP/HANUK/CP/0087

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Long Setts 80mm

13


Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks  
Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |   |
|----------------------------------|---|
| <b>Intended Use</b>              | External flooring                       |
| <b>Emission of asbestos</b>      | X                                       |
| <b>Breaking strength</b>         | 3.6 MPa                                 |
| <b>Slip/skid resistance</b>      | Low                                     |
| <b>Thermal conductivity</b>      | X                                       |
| <b>External fire performance</b> | X                                       |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                 |
|                                  | <b>Resistance to Weathering</b> Class 3 |
| <b>Reaction to fire</b>          | X                                       |
| <b>X = not relevant</b>          |   |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Aquaslab 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0011

**Declaration of Performance**

DOP/HANUK/CP/0011

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Aquaslab 60mm**

13

Conforms to the Harmonised European Standard: **BS EN 1339:2003**


Precast Concrete Flag

Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Eco Granite Aquaslab 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0026

**Declaration of Performance**

DOP/HANUK/CP/0026

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Eco Granite Aquaslab 60mm**

13

Conforms to the Harmonised European Standard: **BS EN 1339:2003**


Precast Concrete Flag

Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Eco Granite Slab 300x300 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0039

**Declaration of Performance**

DOP/HANUK/CP/0039

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Eco Granite Slab 300x300 60mm**

13

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Eco Granite Slab 400x400 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0040

**Declaration of Performance**

DOP/HANUK/CP/0040

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Eco Granite Slab 400x400 60mm**

13

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Eco Granite Slab 450x300 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0041

**Declaration of Performance**

DOP/HANUK/CP/0041

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Eco Granite Slab 450x300 60mm**

13

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Slab 300x300 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0049

**Declaration of Performance**

DOP/HANUK/CP/0049

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Slab 300x300 60mm**

**13**

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Slab 400x400 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0050

**Declaration of Performance**

DOP/HANUK/CP/0050

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Slab 400x400 60mm**

13

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Slab 450x300 60mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0051

**Declaration of Performance**

DOP/HANUK/CP/0051

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Slab 450x300 60mm**

**13**

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Slab 300x300 100mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0088

**Declaration of Performance**

DOP/HANUK/CP/0088

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Slab 300x300 100mm**

**13**

Conforms to the Harmonised European Standard: **BS EN 1339:2003**


Precast Concrete Flag

Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1339:2003**

Precast Concrete Flag

Slab 450x300 100mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0089

**Declaration of Performance**

DOP/HANUK/CP/0089

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**Slab 450x300 100mm**

**13**

Conforms to the Harmonised European Standard: **BS EN 1339:2003**

Precast Concrete Flag


Provision to which the product conforms: Standard: Annex ZA of BS EN 1339:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | Class 1      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Class 1      |
| <b>Reaction to fire</b>          | X            |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017



Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

CROSSOVER KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0054

**Declaration of Performance**

DOP/HANUK/CP/0054

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

CROSSOVER KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

CROSSOVER KERB ECOGRANITE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0055

**Declaration of Performance**

DOP/HANUK/CP/0055

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

CROSSOVER KERB ECOGRANITE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

CROSSOVER INTERNAL

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0056

**Declaration of Performance**

DOP/HANUK/CP/0056

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

CROSSOVER INTERNAL

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

CROSSOVER EXTERNAL

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0057

**Declaration of Performance**

DOP/HANUK/CP/0057

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

CROSSOVER EXTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0058

**Declaration of Performance**

DOP/HANUK/CP/0058

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

STD KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB ECOGRANITE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0059

**Declaration of Performance**

DOP/HANUK/CP/0059

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

STD KERB ECOGRANITE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB LOW RISE INTERNAL

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0060

**Declaration of Performance**

DOP/HANUK/CP/0060

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

STD KERB LOW RISE INTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB HIGH RISE INTERNAL

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0061

**Declaration of Performance**

DOP/HANUK/CP/0061

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

STD KERB HIGH RISE INTERNAL

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

LOW RISE TO CROSSOVER

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0062

**Declaration of Performance**

DOP/HANUK/CP/0062

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

LOW RISE TO CROSSOVER

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

LOW RISE TO ROAD KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0063

**Declaration of Performance**

DOP/HANUK/CP/0063

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

LOW RISE TO ROAD KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

LOW RISE TO HIGH RISE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0064

**Declaration of Performance**

DOP/HANUK/CP/0064

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

LOW RISE TO HIGH RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

DROP KERB LH & RH LOW RISE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0065

**Declaration of Performance**

DOP/HANUK/CP/0065

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

DROP KERB LH & RH LOW RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

HIGH RISE TO ROAD KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0066

**Declaration of Performance**

DOP/HANUK/CP/0066

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

HIGH RISE TO ROAD KERB

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

RADIUS STD KERB 2 CUTS

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0067

**Declaration of Performance**

DOP/HANUK/CP/0067

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

RADIUS STD KERB 2 CUTS

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

BULLNOSE KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0068

**Declaration of Performance**

DOP/HANUK/CP/0068

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

BULLNOSE KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

INTERNAL BULLNOSE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0069

**Declaration of Performance**

DOP/HANUK/CP/0069

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

INTERNAL BULLNOSE

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

EXTERNAL BULLNOSE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0070

**Declaration of Performance**

DOP/HANUK/CP/0070

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

EXTERNAL BULLNOSE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

BULLNOSE TO CROSSOVER

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0071

**Declaration of Performance**

DOP/HANUK/CP/0071

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

BULLNOSE TO CROSSOVER

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

BULLNOSE KERB RADIUS 2 CUTS

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0072

**Declaration of Performance**

DOP/HANUK/CP/0072

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**BULLNOSE KERB RADIUS 2 CUTS**

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

BULLNOSE TO ROAD KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0073

**Declaration of Performance**

DOP/HANUK/CP/0073

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

**BULLNOSE TO ROAD KERB**

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB LOW RISE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0074

**Declaration of Performance**

DOP/HANUK/CP/0074

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

STD KERB LOW RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB HIGH RISE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0075

**Declaration of Performance**

DOP/HANUK/CP/0075

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

STD KERB HIGH RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

STD KERB LOW RISE EXT

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0076

**Declaration of Performance**

DOP/HANUK/CP/0076

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

STD KERB LOW RISE EXT

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

LOW RISE TO CROSSOVER

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0077

**Declaration of Performance**

DOP/HANUK/CP/0077

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

LOW RISE TO CROSSOVER

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

DROP KERB LH & RH LOW RISE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0078

**Declaration of Performance**

DOP/HANUK/CP/0078

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

DROP KERB LH & RH LOW RISE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

CORNISH EDGING 250 mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0080

**Declaration of Performance**

DOP/HANUK/CP/0080

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

CORNISH EDGING 250 mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

CHARTRES EDGING 250 mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0082

**Declaration of Performance**

DOP/HANUK/CP/0082

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

CHARTRES EDGING 250 mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

ECOGRANITE KERB

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0083

**Declaration of Performance**

DOP/HANUK/CP/0083

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

ECOGRANITE KERB

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA  
 13

**BS EN 1340:2003**

Precast Concrete Kerb

ECOGRANITE CENTRE STONE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0084

**Declaration of Performance**

DOP/HANUK/CP/0084

The undersigned, representing the following:

Forterra Building Products Limited  
 5 Grange Park Court, Roman Way  
 Northampton, NN4 5EA

Confirms that:

ECOGRANITE CENTRE STONE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
 EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015





Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

CORNISH CENTRE STONE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0090

**Declaration of Performance**

DOP/HANUK/CP/0090

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

CORNISH CENTRE STONE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

ECOGRANITE EDGING 500 mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0085

**Declaration of Performance**

DOP/HANUK/CP/0085

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

ECOGRANITE EDGING 500 mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 MPa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

FOREST EDGING 500 mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 Mpa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0079

**Declaration of Performance**

DOP/HANUK/CP/0079

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

FOREST EDGING 500 mm

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 Mpa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

CORNISH EDGING 500 mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 Mpa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0081

**Declaration of Performance**

DOP/HANUK/CP/0081

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

CORNISH EDGING 500 mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | 3.5 Mpa      |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

POST BLOCK 60 mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0091

**Declaration of Performance**

DOP/HANUK/CP/0091

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

POST BLOCK 60 mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

POST BLOCK 80mm

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0092

**Declaration of Performance**

DOP/HANUK/CP/0092

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

POST BLOCK 80mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA  
13

**BS EN 1340:2003**

Precast Concrete Kerb

CIRCLE

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Durability</b>                | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

See Also Declaration of Performance DOP/HANUK/CP/0093

**Declaration of Performance**

DOP/HANUK/CP/0093

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

CIRCLE

13

Conforms to the Harmonised European Standard: **BS EN 1340:2003**


Precast Concrete Kerb

Provision to which the product conforms: Standard: Annex ZA of BS EN 1340:2003, System 4  
EU Regulation No 89/106

|                                  |              |
|----------------------------------|--------------|
| <b>Intended Use</b>              | External     |
| <b>Emission of asbestos</b>      | X            |
| <b>Breaking strength</b>         | NPD          |
| <b>Slip/skid resistance</b>      | Satisfactory |
| <b>Thermal conductivity</b>      | X            |
| <b>External fire performance</b> | X            |
| <b>Strength Durability</b>       | Satisfactory |
| <b>Reaction to fire</b>          | X            |
| <b>X = not relevant</b>          |              |

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality and Clay Services

Date: 05 October 2015



Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

13

**BS EN 1338:2003**

Category II Concrete Paving Blocks

Tactile 133mm x 200mm x 60mm

|                                  |                   |
|----------------------------------|-------------------|
| <b>Intended Use</b>              | External flooring |
| <b>Emission of asbestos</b>      | X                 |
| <b>Breaking strength</b>         | Pass              |
| <b>Slip/skid resistance</b>      | Satisfactory      |
| <b>Thermal conductivity</b>      | X                 |
| <b>External fire performance</b> | X                 |
| <b>Durability</b>                | Satisfactory      |
| <b>Reaction to fire</b>          | X                 |

X = not relevant

See Also Declaration of Performance DOP/HANUK/CP/0095

**Declaration of Performance**

DOP/HANUK/CP/0095

The undersigned, representing the following:

Forterra Building Products Limited  
5 Grange Park Court, Roman Way  
Northampton, NN4 5EA

Confirms that:

Tactile 133mm x 200mm x 60mm

**13**

Conforms to the Harmonised European Standard: **BS EN 1338:2003**

Category II Concrete Paving Blocks


Provision to which the product conforms: Standard: Annex ZA of BS EN 1338:2003, System 4  
EU Regulation No 305/2011

|                                  |  |
|----------------------------------|--|
| <b>Intended Use</b>              | External flooring                      |
| <b>Emission of asbestos</b>      | X                                      |
| <b>Breaking strength</b>         | 3.6 MPa                                |
| <b>Slip/skid resistance</b>      | Low                                    |
| <b>Thermal conductivity</b>      | X                                      |
| <b>External fire performance</b> | X                                      |
| <b>Durability</b>                | <b>Abrasion</b> Class 4                |
|                                  | <b>Resistance to Weathering</b> Class3 |
| <b>Reaction to fire</b>          | X                                      |

X = not relevant

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and general purpose or lightweight mortars.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Head of Quality

Date: 16 March 2017